Grades & Quality



Grading of Size

With Possibility of Made to Order Mixed Sizes




Weight Per Fruit

Super Jumbo > 25g*

Jumbo 22 to 25g* Large 18 to 21g* Medium 15 to 17g* Small 10 to 14g*











Premium Grade A

e A Grade B







Grade C Rutab Bon Bon



Premium Quality 0 –10% Skin Separation



It is permitted for no more than %10 of the the total area of the fruit surface to have skin separation.

Standards for Grades of Dates		
Mechanical Injury	Broken Skin	
Lack of Proper Pollination	Lack if Size Uniformity	
Inner Dark Discolouration	Puffiness	
Spotting	Scaring	
Improper Moisture	Sun Burn	
Improper Ripening	Insect Injury	
Damaged by Discoloration	External Skin Discolouration**	





- * According to the American standard issued on 26 Aug 1955
- ** Dark brown grades between # 8B4513 to # D2B48C a



Grade A Quality 11 –30% Skin Separation



It is permitted for no more than %30 of the the total area of the fruit surface to have skin separation.

Standards for Grades of Dates		
Mechanical Injury	Broken Skin	
Lack of Proper Pollination	Lack if Size Uniformity	
Inner Dark Discolouration	Puffiness	
Spotting	Scaring	
Improper Moisture	Sun Burn	
Improper Ripening	Insect Injury	
Damaged by Discoloration	External Skin Discolouration**	





- * According to the American standard issued on 26 Aug 1955
- ** Dark brown grades between # 8B4513 to # D2B48C a




Grade B Quality 31–60% Skin Separation



It is permitted for no more than %60 of the the total area of the fruit surface to have skin separation.

Standards for Grades of Dates		
Mechanical Injury	Broken Skin	
Lack of Proper Pollination	Lack if Size Uniformity	
Inner Dark Discolouration	Puffiness	
Spotting	Scaring	
Improper Moisture	Sun Burn	
Improper Ripening	Insect Injury	
Damaged by Discoloration	External Skin Discolouration**	





* According to the American standard issued on 26 Aug 1955

^{**} Dark brown grades between # 8B4513 to # D2B48C a




Grade C Quality >60% Skin Separation



It is permitted for more than %60 of the the total area of the fruit surface to have skin separation.

Standards for Grades of Dates		
Mechanical Injury	Broken Skin	
Lack of Proper Pollination	Lack if Size Uniformity	
Inner Dark Discolouration	Puffiness	
Spotting	Scaring	
Improper Moisture	Sun Burn	
Improper Ripening	Insect Injury	
Damaged by Discoloration	External Skin Discolouration**	





* According to the American standard issued on 26 Aug 1955

^{**} Dark brown grades between # 8B4513 to # D2B48C a



Rutab Moisture level of 30% & above



They are very creased, distinctively yellow and acorn-shaped dates. They are the Queen of Dates that are appreciated for their golden, light, melt-in -your-mouth goodness. It has a texture that is both moist and crunchy, almost toffee fudge-like.

Standards for Grades of Dates		
Mechanical Injury	Broken Skin	
Lack of Proper Pollination	Lack if Size Uniformity	
Inner Dark Discolouration	Puffiness	
Spotting	Scaring	
Damaged by Discoloration	Sun Burn	
Insect Injury	External Skin Discolouration**	





- * According to the American standard issued on 26 Aug 1955
- ** Dark brown grades between # 8B4513 to # D2B48C a




Bon Bon Dates

These juicy-sweet dates are a type of renowned Medjool dates. They have a wonderfully smooth texture and sweet flesh, dripping with honeyed juice. They are incredibly soft, succulent, and wonderfully sweet.

Standards for Grades of Dates		
Mechanical Injury	Broken Skin	
Lack of Proper Pollination	Lack if Size Uniformity	
Inner Dark Discolouration	Puffiness	
Spotting	Scaring	
Damaged by Discoloration	Sun Burn	
Insect Injury	External Skin Discolouration**	





- * According to the American standrad issued on 26 Aug 1955
- ** Dark brown grades between # 8B4513 to # D2B48C a



Thank You...

Palmera Dates Agriculture and Trading

sales@palmera-dates.com

+962 78 1212135

+962 6 5335558

Hangers 3 & 4
Al Yahia Industrial Compound
Amman Development Road, Sahab
PO Box 1999
11941, Amman
The Hashemite Kingdom of Jordan